



DEPARTMENT OF
Appeals & Hearings

Date: March 8, 2024

To: Honorable City Council

From: Department of Appeals and Hearings (DAH)

Re: Dangerous Buildings Findings and Orders for March 8, 2024

The Department of Appeals and Hearings (DAH) has filed the findings and demolition orders of the Hearing Officer for the Dangerous Buildings hearings held on March 8, 2024, in accordance with Section 8-17-24(d) of the 2019 Detroit City Code. These matters are to be scheduled for a show cause hearing before City Council not less than 30 days after the date of hearing. See City Code Section 8-17-25(a).

<p align="center">STATE OF MICHIGAN</p> <p align="center">CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p align="center">ADMINISTRATIVE APPEALS BUREAU</p>	<p align="center">FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p align="center"><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 5762 15th</p> <p>BSEED CASE NO: DNG2014-02757</p>
---	--	--

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

<p>Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226</p>

<p>Property Owner & Address: Closed-Loop Economy Group 6202 16th St Detroit, MI 48208</p>
--

PROPERTY ADDRESS: 5762 15th

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: _____



CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

<p>STATE OF MICHIGAN</p> <p>CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p>ADMINISTRATIVE APPEALS BUREAU</p>	<p>FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 5762 15th</p> <p>BSEED CASE NO: DNG2014-02757</p>
--	---	---

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

<p>Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226</p>

<p>Property Owner & Address: Aaron Tilman 487 W. Alexandrine St Detroit, MI 48201</p>
--

PROPERTY ADDRESS: 5762 15th

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: _____



CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

<p>STATE OF MICHIGAN</p> <p>CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p>ADMINISTRATIVE APPEALS BUREAU</p>	<p>FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 5278 Avery</p> <p>BSEED CASE NO: DNG2024-00059</p>
--	---	--

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

Department:
Buildings Safety Engineering & Environmental
Department
2 Woodward Ave., Room 402
Detroit, MI 48226

Property Owner & Address:
5278 Avery LLC
4221 Cass Unit #1200
Detroit, MI 48201

PROPERTY ADDRESS: 5278 Avery

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: _____



CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

<p>STATE OF MICHIGAN</p> <p>CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p>ADMINISTRATIVE APPEALS BUREAU</p>	<p>FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 6330 Barlum</p> <p>BSEED CASE NO: DNG2018-02814</p>
--	---	---

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

<p>Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226</p>

<p>Property Owner & Address: Annise Johnson 6024 McGraw Detroit, MI 48210</p>
--

PROPERTY ADDRESS: 6330 Barlum

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: _____



CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

<p align="center">STATE OF MICHIGAN</p> <p align="center">CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p align="center">ADMINISTRATIVE APPEALS BUREAU</p>	<p align="center">FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p align="center"><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 15891 Burt</p> <p>BSEED CASE NO: DNG2020-00489</p>
---	--	---

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

<p>Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226</p>

<p>Property Owner & Address: Detroit Land Bank Authority 500 Griswold Suite 1200 Detroit, MI 48226</p>

PROPERTY ADDRESS: 15891 Burt

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: 

CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

<p>STATE OF MICHIGAN</p> <p>CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p>ADMINISTRATIVE APPEALS BUREAU</p>	<p>FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 15891 Burt</p> <p>BSEED CASE NO: DNG2020-00489</p>
--	---	--

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

<p>Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226</p>

<p>Property Owner & Address: Sedley Titus Jr 5013 Harding St Detroit, MI 48213</p>

PROPERTY ADDRESS: 15891 Burt

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: 

CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

_____ Date

_____ Signature

<p>STATE OF MICHIGAN</p> <p>CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p>ADMINISTRATIVE APPEALS BUREAU</p>	<p>FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 9332 Central</p> <p>BSEED CASE NO: DNG2023-01405</p>
--	---	--

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

<p>Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226</p>

<p>Property Owner & Address: Dana Cameron 9354 Central Detroit, MI 48204</p>

PROPERTY ADDRESS: 9332 Central

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: _____



CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

<p>STATE OF MICHIGAN</p> <p>CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p>ADMINISTRATIVE APPEALS BUREAU</p>	<p>FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 12272 Cheyenne</p> <p>BSEED CASE NO: DNG2020-00727</p>
--	---	--

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

<p>Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226</p>

<p>Property Owner & Address: Monarchs Estate LLC 30 N Gould St #35337 Sheridan, WY 82801</p>

PROPERTY ADDRESS: 12272 Cheyenne

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: _____



CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

<p>STATE OF MICHIGAN</p> <p>CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p>ADMINISTRATIVE APPEALS BUREAU</p>	<p>FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 14371 Dacosta</p> <p>BSEED CASE NO: DNG2018-00768</p>
--	---	---

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

Department:
Buildings Safety Engineering & Environmental
Department
2 Woodward Ave., Room 402
Detroit, MI 48226

Property Owner & Address:
Michael & Cynthia Duby
5600 Pineridge
Brighton, MI 48116

PROPERTY ADDRESS: 14371 Dacosta

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: 

CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

<p>STATE OF MICHIGAN</p> <p>CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p>ADMINISTRATIVE APPEALS BUREAU</p>	<p>FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 7738 Epworth</p> <p>BSEED CASE NO: DNG2014-08111</p>
--	---	--

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

<p>Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226</p>

<p>Property Owner & Address: Harvey Nelson 7738 Epworth St Detroit, MI 48204-3554</p>
--

PROPERTY ADDRESS: 7738 Epworth

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: _____



CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

<p>STATE OF MICHIGAN</p> <p>CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p>ADMINISTRATIVE APPEALS BUREAU</p>	<p>FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 18511 Ferguson</p> <p>BSEED CASE NO: DNG2023-01803</p>
--	---	--

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

<p>Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226</p>

<p>Property Owner & Address: LAF Housing LLC 6712 Netherland Drive Liberty Twp, OH 45044</p>

PROPERTY ADDRESS: 18511 Ferguson

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: _____



CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

<p>STATE OF MICHIGAN</p> <p>CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p>ADMINISTRATIVE APPEALS BUREAU</p>	<p>FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 31 West Golden Gate</p> <p>BSEED CASE NO: DNG2024-00115</p>
--	---	---

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

<p>Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226</p>

<p>Property Owner & Address: Onie Williams 31 W Golden Gate Detroit, MI 48203</p>

PROPERTY ADDRESS: 31 West Golden Gate

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: 

CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

<p>STATE OF MICHIGAN</p> <p>CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p>ADMINISTRATIVE APPEALS BUREAU</p>	<p>FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 12281 Goulburn</p> <p>BSEED CASE NO: DNG2012-01638</p>
--	---	--

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

<p>Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226</p>

<p>Property Owner & Address: Detroit Land Bank Authority 500 Griswold Ste 1200 Detroit, MI 48226</p>

PROPERTY ADDRESS: 12281 Goulburn

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: _____



CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

<p>STATE OF MICHIGAN</p> <p>CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p>ADMINISTRATIVE APPEALS BUREAU</p>	<p>FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 12281 Goulburn</p> <p>BSEED CASE NO: DNG2012-01638</p>
--	---	--

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No, 313-224-0098

<p>Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226</p>

<p>Property Owner & Address: Darez Paige 9726 Wilkie St Taylor, MI 48180</p>

PROPERTY ADDRESS: 12281 Goulburn

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: 

CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

STATE OF MICHIGAN CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS ADMINISTRATIVE APPEALS BUREAU	FINDINGS OF FACT AND ORDER OF HEARING OFFICER	<u>Dangerous Building</u> <u>Show Cause Hearing</u> PROPERTY ADDRESS: 18176 Heyden BSEED CASE NO: DNG2024-00067
---	--	--

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226
--

Property Owner & Address: Dejuan Perdue 18182 Heyden Detroit, MI 48219

PROPERTY ADDRESS: 18176 Heyden

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: _____



CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

<p align="center">STATE OF MICHIGAN</p> <p align="center">CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p align="center">ADMINISTRATIVE APPEALS BUREAU</p>	<p align="center">FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p align="center"><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 3311 Kendall</p> <p>BSEED CASE NO: DNG2022-01824</p>
---	--	---

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

Department:
Buildings Safety Engineering & Environmental
Department
2 Woodward Ave., Room 402
Detroit, MI 48226

Property Owner & Address:
Amarras Investments LLC
175 SW 7th Ste 1611
Miami, FL 33130

PROPERTY ADDRESS: 3311 Kendall

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: _____



CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

<p>STATE OF MICHIGAN</p> <p>CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p>ADMINISTRATIVE APPEALS BUREAU</p>	<p>FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 15459 Log Cabin</p> <p>BSEED CASE NO: DNG2016-00505</p>
--	---	---

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

<p>Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226</p>

<p>Property Owner & Address: A Gift For Home LLC 20001 Irvington Detroit, MI 48203</p>

PROPERTY ADDRESS: 15459 Log Cabin

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: _____



CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

<p align="center">STATE OF MICHIGAN</p> <p align="center">CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p align="center">ADMINISTRATIVE APPEALS BUREAU</p>	<p align="center">FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p align="center"><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 20044 Mackay</p> <p>BSEED CASE NO: DNG2010-01057</p>
---	--	---

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

<p>Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226</p>

<p>Property Owner & Address: Bobby 75 LLC 3550 Myrtlewood Chase NW Kennesaw, GA 30144</p>

PROPERTY ADDRESS: 20044 Mackay

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: _____



CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

<p align="center">STATE OF MICHIGAN</p> <p align="center">CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p align="center">ADMINISTRATIVE APPEALS BUREAU</p>	<p align="center">FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p align="center"><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 14075 Marlowe</p> <p>BSEED CASE NO: DNG2010-24120</p>
---	--	--

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

<p>Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226</p>

<p>Property Owner & Address: Irene Renee James 9807 Woodside Detroit, MI 48204</p>
--

PROPERTY ADDRESS: 14075 Marlowe

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: 

CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

<p>STATE OF MICHIGAN</p> <p>CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p>ADMINISTRATIVE APPEALS BUREAU</p>	<p>FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 18235 Meyers</p> <p>BSEED CASE NO: DNG2024-00095</p>
--	---	--

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

<p>Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226</p>

<p>Property Owner & Address: Albert Kirksey Jr 18235 Meyers Detroit, MI 48234</p>
--

PROPERTY ADDRESS: 18235 Meyers

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: 

CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

<p>STATE OF MICHIGAN</p> <p>CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p>ADMINISTRATIVE APPEALS BUREAU</p>	<p>FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 2700 Montgomery</p> <p>BSEED CASE NO: DNG2020-01005</p>
--	---	---

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

<p>Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226</p>

<p>Property Owner & Address: One Institution LLC 3439 NE Sandy Blvd #326 Portland, OR 97232</p>

PROPERTY ADDRESS: 2700 Montgomery

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: _____



CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

STATE OF MICHIGAN CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS ADMINISTRATIVE APPEALS BUREAU	FINDINGS OF FACT AND ORDER OF HEARING OFFICER	<u>Dangerous Building</u> <u>Show Cause Hearing</u> PROPERTY ADDRESS: 3221 Northwestern BSEED CASE NO: DNG2019-00837
---	--	---

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226
--

Property Owner & Address: Nadya & Charles Green 8112 Shadow Terrace Tobyhanna, PA 18466

PROPERTY ADDRESS: 3221 Northwestern

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: 

CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

<p align="center">STATE OF MICHIGAN</p> <p align="center">CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p align="center">ADMINISTRATIVE APPEALS BUREAU</p>	<p align="center">FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p align="center"><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 3221 Northwestern</p> <p>BSEED CASE NO: DNG2019-00837</p>
---	--	--

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No, 313-224-0098

<p>Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226</p>

<p>Property Owner & Address: Nadya & Charles Green 3611 Morinda Dr Douglasville, GA 30135</p>
--

PROPERTY ADDRESS: 3221 Northwestern

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: _____



CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

<p>STATE OF MICHIGAN</p> <p>CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p>ADMINISTRATIVE APPEALS BUREAU</p>	<p>FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 10840 W Outer Drive</p> <p>BSEED CASE NO: DNG2016-04557</p>
--	---	---

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

<p>Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226</p>

<p>Property Owner & Address: Detroit Land Bank Authority 500 Griswold Ste 1200 Detroit, MI 48226</p>

PROPERTY ADDRESS: 10840 W Outer Drive

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: _____



CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

<p>STATE OF MICHIGAN</p> <p>CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p>ADMINISTRATIVE APPEALS BUREAU</p>	<p>FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 4575 Radnor</p> <p>BSEED CASE NO: DNG2024-00122</p>
--	---	---

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

<p>Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226</p>

<p>Property Owner & Address: ATID Realty Investments LLC 23875 Michigan Ave Dearborn, MI 48124</p>

PROPERTY ADDRESS: 4575 Radnor

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: 

CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

<p>STATE OF MICHIGAN</p> <p>CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p>ADMINISTRATIVE APPEALS BUREAU</p>	<p>FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 16150 Santa Rosa</p> <p>BSEED CASE NO: DNG2010-28187</p>
--	---	--

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

<p>Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226</p>

<p>Property Owner & Address: DRF5 QOZB, LLC 23875 Michigan Ave Dearborn, MI 48124</p>

PROPERTY ADDRESS: 16150 Santa Rosa

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: _____



CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

<p align="center">STATE OF MICHIGAN</p> <p align="center">CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p align="center">ADMINISTRATIVE APPEALS BUREAU</p>	<p align="center">FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p align="center"><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 9310 Steel</p> <p>BSEED CASE NO: DNG2010-37857</p>
---	--	---

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

<p>Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226</p>

<p>Property Owner & Address: Tini Investments LLC 2941 Shore Parkway Brooklyn, NY 11235</p>
--

PROPERTY ADDRESS: 9310 Steel

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: 

CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

_____ Date

_____ Signature

STATE OF MICHIGAN CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS ADMINISTRATIVE APPEALS BUREAU	FINDINGS OF FACT AND ORDER OF HEARING OFFICER	<u>Dangerous Building</u> <u>Show Cause Hearing</u> PROPERTY ADDRESS: 16143 Steel BSEED CASE NO: DNG2023-01804
---	--	---

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226
--

Property Owner & Address: Liberdina LLC 18645 Strathmoor Detroit, MI 48235
--

PROPERTY ADDRESS: 16143 Steel

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: _____



CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature

<p align="center">STATE OF MICHIGAN</p> <p align="center">CITY OF DETROIT DEPARTMENT OF APPEALS & HEARINGS</p> <p align="center">ADMINISTRATIVE APPEALS BUREAU</p>	<p align="center">FINDINGS OF FACT AND ORDER OF HEARING OFFICER</p>	<p align="center"><u>Dangerous Building Show Cause Hearing</u></p> <p>PROPERTY ADDRESS: 12274 Ward</p> <p>BSEED CASE NO: DNG2015-01644</p>
---	--	---

Address: 2 Woodward Avenue, Suite 1004, Detroit, Michigan 48226

Telephone No. 313-224-0098

<p>Department: Buildings Safety Engineering & Environmental Department 2 Woodward Ave., Room 402 Detroit, MI 48226</p>

<p>Property Owner & Address: Nadja Pierrevil 260 Northern #15C Avondale Estates, GA 30002</p>
--

PROPERTY ADDRESS: 12274 Ward

HEARING DATE: 3/8/2024

HEARING OFFICER'S FINDINGS OF FACT AND ORDER

On the above hearing date, having taken testimony from the building inspector of the Department of Buildings Safety Engineering & Environmental and the owner of the above property and/or any party-in interest having failed to appear, the Hearing Officer finds that the following facts have been proven by DEFAULT:

- (1) the building or structure listed above is a DANGEROUS BUILDING, as defined under Section 8-17-2 of the Detroit City Code;
- (2) the condition of the building or structure listed above is not currently safe and cannot be made safe; and
- (3) the condition of the building or structure is not and cannot be properly maintained

IT IS HEREBY ORDERED that it shall be recommended to the Detroit City Council that this dangerous building be DEMOLISHED.

Date: 3/8/2024

Hearing Officer: 

CERTIFICATE OF SERVICE

I certify that on this date a copy of this Order was served by certified mail, return receipt requested addressed to the owner at the owner's address listed above and by posting on the property address.

Date

Signature